



LOW COST WIRELESS RAILWAY LEVEL CROSSING SOLUTIONS



SAFEZONE
MAKING
RAILWAY CROSSINGS
SAFER



OVERVIEW

A low cost, proven, wireless 'Railway Level Crossing Warning' solution

SafeZone is an Australian developed warning system, designed to reduce the risk of crashes and near misses at railway level crossings. It comprises a suite of wirelessly networked, radar-activated components with fail-to-safe capabilities that allow 'passive' warning systems to be upgraded to 'active' ones. Together, these 'active devices' allow automated warnings to be delivered to road users, that more effectively notify them that a railway crossing is in use.

SafeZone includes the following modular, wirelessly networked building blocks:

- Wireless '**Train Detection Radars**'
- Wireless '**Active Wig-Wags**' (red flashing signals, i.e. RX-5s), and
- Wireless '**Active Advance Warning Signs**' (signs with amber flashing lights, i.e. RX-11s)


These can be combined to meet client and site-specific requirements in order to deliver AS/NZS 1742.7 (and other standards) compliant 'active control' solutions. **SafeZone's** modular architecture, 'fail-to-safe' features, and remote monitoring capabilities make it ideal for retrofits to 'passive' rail crossing warning systems in lightly trafficked remote areas, as well as at crossings in higher traffic urban areas.

Additional (optional) warning elements such as Wireless **In-Road Alert Beacons** (flashing lights) and Wireless '**In-Cab**' **Train Driver Alert Devices** make **SafeZone** the most flexible, fully featured approach to improving railway crossing safety. Because it's a completely wireless solution and all building blocks are solar or battery powered, a **SafeZone** solution can be far more rapidly deployed for significantly less cost than traditional treatments.

The resulting lower 'whole of life' costs, combined with its comprehensive features and superior flexibility, make **SafeZone** a superior 'value for money' solution.

Features	Benefits
Mix of RX-5 signals, RX-11 signs & in-road flashing lights	Modular approach to creating solutions for almost any application
Secure wireless communications between all elements	Lower costs of installation and ownership
Solar powered RX-5s and RX-11s	Further reduces costs of installation and ownership
'Fail-to-safe' operation	Optimises safety
Train Detection Radars	Allows installation at crossings without existing detection systems
Retrofittable Active Wig-Wags and AAWS modules	Suitable for integration with existing 'passive' control elements
No connection required with systems within rail corridor	Lowers costs, speeds installation, enhances fail-to-safe capabilities
AS/NZS 1742.7 compliant	Allows designers to implement standards compliant solutions
Upgradable, modular architecture	Allows existing installations to be easily altered or extended
Optional in-road flashing beacons & train 'in-cab' alert devices	Enhances active warning capabilities

TYPICAL RAIL CROSSING IMPLEMENTATION



	DETECTION	WARNING		CONTROL	
	1	2	3	4	5
Building Blocks	Train Detection Radar (TDR)	Active Wigwag	Active Advance Warning Sign	In-Road Alert Beacon (IRAD)	Alert Device Controller (ADC)
Sign Type	N/A	RX-5	RX-11	N/A	N/A

SYSTEM BUILDING BLOCKS

DETECTION SYSTEM



1 TRAIN DETECTION RADARS (TDR)

These units are installed beside rail tracks on the approaches to a railway crossing, as well as at the crossing. When a train is detected, signals from the radar units are received by the network's Alert Device Controller (ADC). This then activates the active warning systems (installed as required) in that network. TDRs are solar powered and use proven radar sensors.

ACTIVE WARNING SYSTEMS




2 ACTIVE WIG-WAGS (RX-5)

These units are comprised of red flashing warning signals and a wireless repeater. They can either be retrofitted to existing 'passive' signs (e.g. Give Way and Stop signs), or supplied as complete units with signs for new RX-5 installations. They are installed at the railway crossing and feature fail-to-safe capabilities if they lose network connection. Active Wig-Wags (being another form of AAWS) are solar powered.



3 ACTIVE ADVANCE WARNING SIGNS (RX-11)

These units are comprised of amber flashing lights and a wireless repeater, mounted on top of an advance warning sign. They are installed on the road-side on the approaches to the railway crossing. The feature fail-to-safe capabilities if they lose network connection, and are solar powered.



4 IN-ROAD ALERT BEACONS (IRAD)

These optional units are self-contained amber flashing in-road lights. They are installed, as required, in the road on the approaches to the railway crossing, starting at the position of the Active Advance Warning Sign (RX-11) and ending at the railway crossing. They feature optional fail-to-safe capabilities if they lose network connection (via the ADC and any AAWSS in the network) and are battery powered.

CONTROL SYSTEM



5 ALERT DEVICE CONTROLLER (ADC)

This is the network controller device, that relays signals received from either an existing train detection system, or an array of **SafeZone** Train Detection Radar units. The ADC also provides remote monitoring capabilities via a 3G connection. In the event of an ADC failing, fail-to-safe functions are implemented by the other system elements.

SYSTEM SOLUTION OPTIONS

A modular approach to creating road user **SafeZones** on the approaches to railway crossings based on warning levels required

= Active Warning Zone

WARNING LEVEL	Solution Description	BUILDING BLOCKS					SOLUTIONS FROM:
		1	2	3	4	5	
LOW	Retrofit of flashing lights to existing Give Way or Stop signs	3	2	-	-	1	\$38K
	New Active Red Flashing Signal (RX-5) installation	3	2	-	-	1	\$58K
	New Active Advance Warning Sign (RX-11) installation	3	-	2	-	1	\$58K
	New Active Advance Warning + Red Flashing Signal (RX-5 + RX-11) Installation	3	2	2	-	1	\$78K
	New Active Advance Warning + Red Flashing Signal + In-Road Flashing Lights (RX-5 + RX-11+ IRAD) Premium Installation	3	2	2	20	1	\$98K

LOW

WARNING LEVEL

HIGH

ABOUT INVENTIS TECHNOLOGY

Inventis Technology (a division of ASX listed company, Inventis Limited) is a Sydney based electronic control systems designer and manufacturer that has been creating and delivering innovative control, management and safety solutions to electronics OEMs, emergency services, police, defence and many enterprise and government customers for more than 20 years.

Inventis Technology brands include SafeZone (driver & pedestrian advance warning systems), PNE (electronic control systems for OEMs), Impart (motor vehicle control systems) and Opentec (rugged portable computers and computer based solutions).



SAFEZONE
MAKING
RAILWAY CROSSINGS
SAFER

Phone: (02) 9525 4177

Fax: 9525 5583

Email: sales@safezonealert.com.au

Web: safezonealert.com.au

SAFEZONE

A division of Inventis Technology

© 2011 Inventis Technology Pty Limited

Product specifications s ubject to change without notice